

Starters · Insulated · DOL · Compact

EMS Reference	Power Rating	Moeller Reference	Voltage Rating	Available Online
Ref 201-000001	4kW	D4E/I2/3P+N	230V 50Hz, 240V 60Hz	•
Ref 201-000002	4kW	D4E/I2/3P	400V 50Hz, 440V 60Hz	•
Ref 201-000003	4kW	D4E/I2/1P+N	230V 50Hz, 240V 60Hz	•

Starters · Insulated · DOL · Without Isolator

EMS Reference	Power Rating	Moeller Reference	Voltage Rating	Available Online
Ref 210-000002	4kW	XD4/I	230V 50Hz, 240V 60Hz	•
Ref 210-000003	4kW	XD4/I	400V 50Hz, 440V 60Hz	•
Ref 210-000005	5.5kW	XD5.5/I	230V 50Hz, 240V 60Hz	•
Ref 210-000006	5.5kW	XD5.5/I	400V 50Hz, 440V 60Hz	•
Ref 210-000008	7.5kW	XD7.5/I	230V 50Hz, 240V 60Hz	•
Ref 210-000009	7.5kW	XD7.5/I	400V 50Hz, 440V 60Hz	•
Ref 210-000010	11kW	XD11/I	230V 50Hz, 240V 60Hz	•
Ref 210-000011	11kW	XD11/I	400V 50Hz, 440V 60Hz	•
Ref 210-000012	15kW	XD15/I	230V 50Hz, 240V 60Hz	•
Ref 210-000013	15kW	XD15/I	400V 50Hz, 440V 60Hz	•
Ref 210-000014	18.5kW	XD18.5/I	230V 50Hz, 240V 60Hz	•
Ref 210-000015	18.5kW	XD18.5/I	400V 50Hz, 440V 60Hz	•
Ref 210-000016	22kW	XD22/I	230V 50Hz, 240V 60Hz	•
Ref 210-000017	22kW	XD22/I	400V 50Hz, 440V 60Hz	•
Ref 210-000018	30kW	XD30/I	230V 50Hz, 240V 60Hz	•
Ref 210-000019	30kW	XD30/I	400V 50Hz, 440V 60Hz	•

Starters · Insulated · DOL · With Isolator

EMS Reference	Power Rating	Moeller Reference	Voltage Rating	Available Online
Ref 211-000002	4kW	XDP4/I	230V 50Hz, 240V 60Hz	•
Ref 211-000003	4kW	XDP4/I	400V 50Hz, 440V 60Hz	•
Ref 211-000005	5.5kW	XDP5.5/I	230V 50Hz, 240V 60Hz	•
Ref 211-000006	5.5kW	XDP5.5/I	400V 50Hz, 440V 60Hz	•
Ref 211-000008	7.5kW	XDP7.5/I	230V 50Hz, 240V 60Hz	•
Ref 211-000009	7.5kW	XDP7.5/I	400V 50Hz, 440V 60Hz	•
Ref 211-000011	11kW	XDP11/I	230V 50Hz, 240V 60Hz	•
Ref 211-000012	11kW	XDP11/I	400V 50Hz, 440V 60Hz	•
Ref 211-000013	15kW	XDP15/I	230V 50Hz, 240V 60Hz	•
Ref 211-000014	15kW	XDP15/I	400V 50Hz, 440V 60Hz	•
Ref 211-000015	18.5kW	XDP18.5/I	230V 50Hz, 240V 60Hz	•
Ref 211-000016	18.5kW	XDP18.5/I	400V 50Hz, 440V 60Hz	•
Ref 211-000017	22kW	XDP22/I	230V 50Hz, 240V 60Hz	•
Ref 211-000018	22kW	XDP22/I	400V 50Hz, 440V 60Hz	•
Ref 211-000019	30kW	XD30P/I	230V 50Hz, 240V 60Hz	•
Ref 211-000020	30kW	XD30P/I	400V 50Hz, 440V 60Hz	•

Starters · Insulated · DOL · Reversing · Without Isolator

EMS Reference	Power Rating	Moeller Reference	Voltage Rating	Available Online
Ref 225-000001	4kW	XDR4/I	230V 50Hz, 240V 60Hz	•
Ref 225-000002	4kW	XDR4/I	400V 50Hz, 440V 60Hz	•
Ref 225-000003	5.5kW	XDR5.5/I	230V 50Hz, 240V 60Hz	•
Ref 225-000004	5.5kW	XDR5.5/I	400V 50Hz, 440V 60Hz	•

Starters · Insulated · DOL · Reversing · With Isolator

EMS Reference	Power Rating	Moeller Reference	Voltage Rating	Available Online
Ref 216-000002	4kW	XDRP4/I	230V 50Hz, 240V 60Hz	•
Ref 216-000003	4kW	XDRP4/I	400V 50Hz, 440V 60Hz	•
Ref 216-000005	5.5kW	XDRP5.5/I	230V 50Hz, 240V 60Hz	•
Ref 216-000006	5.5kW	XDRP5.5/I	400V 50Hz, 440V 60Hz	•

Starters · Insulated · Star-Delta · Without Isolator

EMS Reference	Power Rating	Moeller Reference	Voltage Rating	Available Online
Ref 226-000001	5.5kW	XSD5.5/I	230V 50Hz, 240V 60Hz	•
Ref 226-000002	5.5kW	XSD5.5/I	400V 50Hz, 440V 60Hz	•
Ref 226-000003	7.5kW	XSD7.5/I	230V 50Hz, 240V 60Hz	•
Ref 226-000004	7.5kW	XSD7.5/I	400V 50Hz, 440V 60Hz	•
Ref 226-000005	11kW	XSD11/I	230V 50Hz, 240V 60Hz	•
Ref 226-000006	11kW	XSD11/I	400V 50Hz, 440V 60Hz	•
Ref 226-000007	15kW	XSD15/I	230V 50Hz, 240V 60Hz	•
Ref 226-000008	15kW	XSD15/I	400V 50Hz, 440V 60Hz	•
Ref 226-000009	22kW	XSD22/I	230V 50Hz, 240V 60Hz	•
Ref 226-000010	22kW	XSD22/I	400V 50Hz, 440V 60Hz	•
Ref 226-000011	30kW	XSD30/I	230V 50Hz, 240V 60Hz	•
Ref 226-000012	30kW	XSD30/I	400V 50Hz, 440V 60Hz	•
Ref 226-000013	37kW	XSD37/I	230V 50Hz, 240V 60Hz	•
Ref 226-000014	37kW	XSD37/I	400V 50Hz, 440V 60Hz	•
Ref 226-000015	45kW	XSD45/I	230V 50Hz, 240V 60Hz	•
Ref 226-000016	45kW	XSD45/I	400V 50Hz, 440V 60Hz	•
Ref 226-000017	55kW	XSD55/I	230V 50Hz, 240V 60Hz	•
Ref 226-000018	55kW	XSD55/I	400V 50Hz, 440V 60Hz	•

Starters · Insulated · Star-Delta · With Isolator

EMS Reference	Power Rating	Moeller Reference	Voltage Rating	Available Online
Ref 217-000002	5.5kW	XSDP5.5/I	230V 50Hz, 240V 60Hz	•
Ref 217-000003	5.5kW	XSDP5.5/I	400V 50Hz, 440V 60Hz	•
Ref 217-000005	7.5kW	XSDP7.5/I	230V 50Hz, 240V 60Hz	•
Ref 217-000006	7.5kW	XSDP7.5/I	400V 50Hz, 440V 60Hz	•
Ref 217-000008	11kW	XSDP11/I	230V 50Hz, 240V 60Hz	•
Ref 217-000009	11kW	XSDP11/I	400V 50Hz, 440V 60Hz	•
Ref 217-000011	15kW	XSDP15/I	230V 50Hz, 240V 60Hz	•
Ref 217-000012	15kW	XSDP15/I	400V 50Hz, 440V 60Hz	•
Ref 217-000016	22kW	XSDP22/I	230V 50Hz, 240V 60Hz	•
Ref 217-000017	22kW	XSDP22/I	400V 50Hz, 440V 60Hz	•
Ref 217-000018	30kW	XSDP30/I	230V 50Hz, 240V 60Hz	•
Ref 217-000019	30kW	XSDP30/I	400V 50Hz, 440V 60Hz	•
Ref 217-000020	37kW	XSDP37/I	230V 50Hz, 240V 60Hz	•
Ref 217-000021	37kW	XSDP37/I	400V 50Hz, 440V 60Hz	•
Ref 217-000022	45kW	XSDP45/I	230V 50Hz, 240V 60Hz	•
Ref 217-000023	45kW	XSDP45/I	400V 50Hz, 440V 60Hz	•
Ref 217-000024	55kW	XSDP55/I	230V 50Hz, 240V 60Hz	•
Ref 217-000025	55kW	XSDP55/I	400V 50Hz, 440V 60Hz	•

Starters · Steel · DOL · Without Isolator

EMS Reference	Power Rating	Moeller Reference	Voltage Rating	Available Online
Ref 212-000002	4kW	XD4/ST	230V 50Hz, 240V 60Hz	•
Ref 212-000003	4kW	XD4/ST	400V 50Hz, 440V 60Hz	•
Ref 212-000005	5.5kW	XD5.5/ST	230V 50Hz, 240V 60Hz	•
Ref 212-000006	5.5kW	XD5.5/ST	400V 50Hz, 440V 60Hz	•
Ref 212-000008	7.5kW	XD7.5/ST	230V 50Hz, 240V 60Hz	•
Ref 212-000009	7.5kW	XD7.5/ST	400V 50Hz, 440V 60Hz	•
Ref 212-000010	11kW	XD11/ST	230V 50Hz, 240V 60Hz	•
Ref 212-000011	11kW	XD11/ST	400V 50Hz, 440V 60Hz	•
Ref 212-000012	15kW	XD15/ST	230V 50Hz, 240V 60Hz	•
Ref 212-000013	15kW	XD15/ST	400V 50Hz, 440V 60Hz	•
Ref 212-000014	18.5kW	XD18.5/ST	230V 50Hz, 240V 60Hz	•
Ref 212-000015	18.5kW	XD18.5/ST	400V 50Hz, 440V 60Hz	•
Ref 212-000016	22kW	XD22/ST	230V 50Hz, 240V 60Hz	•
Ref 212-000017	22kW	XD22/ST	400V 50Hz, 440V 60Hz	•
Ref 212-000018	30kW	XD30/ST	230V 50Hz, 240V 60Hz	•
Ref 212-000019	30kW	XD30/ST	400V 50Hz, 440V 60Hz	•

Starters · Steel · DOL · With Isolator

EMS Reference	Power Rating	Moeller Reference	Voltage Rating	Available Online
Ref 213-000002	4kW	XDP4/ST	230V 50Hz, 240V 60Hz	•
Ref 213-000003	4kW	XDP4/ST	400V 50Hz, 440V 60Hz	•
Ref 213-000005	5.5kW	XDP5.5/ST	230V 50Hz, 240V 60Hz	•
Ref 213-000006	5.5kW	XDP5.5/ST	400V 50Hz, 440V 60Hz	•
Ref 213-000008	7.5kW	XDP7.5/ST	230V 50Hz, 240V 60Hz	•
Ref 213-000009	7.5kW	XDP7.5/ST	400V 50Hz, 440V 60Hz	•
Ref 213-000011	11kW	XDP11/ST	230V 50Hz, 240V 60Hz	•
Ref 213-000012	11kW	XDP11/ST	400V 50Hz, 440V 60Hz	•
Ref 213-000013	15kW	XDP15/ST	230V 50Hz, 240V 60Hz	•
Ref 213-000014	15kW	XDP15/ST	400V 50Hz, 440V 60Hz	•
Ref 213-000015	18.5kW	XDP18.5/ST	230V 50Hz, 240V 60Hz	•
Ref 213-000016	18.5kW	XDP18.5/ST	400V 50Hz, 440V 60Hz	•
Ref 213-000017	22kW	XDP22/ST	230V 50Hz, 240V 60Hz	•
Ref 213-000018	22kW	XDP22/ST	400V 50Hz, 440V 60Hz	•
Ref 213-000019	30kW	XDP30/ST	230V 50Hz, 240V 60Hz	•
Ref 213-000020	30kW	XDP30/ST	400V 50Hz, 440V 60Hz	•

Starters · Steel · DOL · Reversing · Without Isolator

EMS Reference	Power Rating	Moeller Reference	Voltage Rating	Available Online
Ref 222-000001	4kW	XDR4/ST	230V 50Hz, 240V 60Hz	•
Ref 222-000002	4kW	XDR4/ST	400V 50Hz, 440V 60Hz	•
Ref 222-000003	5.5kW	XDR5.5/ST	230V 50Hz, 240V 60Hz	•
Ref 222-000004	5.5kW	XDR5.5/ST	400V 50Hz, 440V 60Hz	•

Starters · Steel · DOL · Reversing · With Isolator

EMS Reference	Power Rating	Moeller Reference	Voltage Rating	Available Online
Ref 218-000002	4kW	XDRP4/ST	230V 50Hz, 240v 60Hz	•
Ref 218-000003	4kW	XDRP4/ST	400V 50Hz, 440V 60Hz	•
Ref 218-000005	5.5kW	XDRP5.5/ST	230V 50Hz, 240v 60Hz	•
Ref 218-000006	5.5kW	XDRP5.5/ST	400V 50Hz, 440V 60Hz	•

Starters · Steel · Star-Delta · Without Isolator

EMS Reference	Power Rating	Moeller Reference	Voltage Rating	Available Online
Ref 223-000021	5.5kW	XSD5.5/ST	230V 50Hz, 240v 60Hz	•
Ref 223-000022	5.5kW	XSD5.5/ST	400V 50Hz, 440V 60Hz	•
Ref 223-000023	7.5kW	XSD7.5/ST	230V 50Hz, 240v 60Hz	•
Ref 223-000024	7.5kW	XSD7.5/ST	400V 50Hz, 440V 60Hz	•
Ref 223-000001	11kW	XSD11/ST	230V 50Hz, 240v 60Hz	•
Ref 223-000002	11kW	XSD11/ST	400V 50Hz, 440V 60Hz	•
Ref 223-000003	15kW	XSD15/ST	230V 50Hz, 240v 60Hz	•
Ref 223-000004	15kW	XSD15/ST	400V 50Hz, 440V 60Hz	•
Ref 223-000007	22kW	XSD22/ST	230V 50Hz, 240v 60Hz	•
Ref 223-000008	22kW	XSD22/ST	400V 50Hz, 440V 60Hz	•
Ref 223-000009	30kW	XSD30/ST	230V 50Hz, 240v 60Hz	•
Ref 223-000010	30kW	XSD30/ST	400V 50Hz, 440V 60Hz	•
Ref 223-000011	37kW	XSD37/ST	230V 50Hz, 240v 60Hz	•
Ref 223-000012	37kW	XSD37/ST	400V 50Hz, 440V 60Hz	•
Ref 223-000013	45kW	XSD45/ST	230V 50Hz, 240v 60Hz	•
Ref 223-000014	45kW	XSD45/ST	400V 50Hz, 440V 60Hz	•
Ref 223-000015	55kW	XSD55/ST	230V 50Hz, 240v 60Hz	•
Ref 223-000016	55kW	XSD55/ST	400V 50Hz, 440V 60Hz	•
Ref 223-000017	75kW	XSD75/ST	230V 50Hz, 240v 60Hz	•
Ref 223-000018	75kW	XSD75/ST	400V 50Hz, 440V 60Hz	•
Ref 223-000019	90kW	XSD90/ST	230V 50Hz, 240v 60Hz	•
Ref 223-000020	90kW	XSD90/ST	400V 50Hz, 440V 60Hz	•

Starters · Steel · Star-Delta · With Isolator

EMS Reference	Power Rating	Moeller Reference	Voltage Rating	Available Online
Ref 219-000002	5.5kW	XSDP5.5/ST	230V 50Hz, 240v 60Hz	•
Ref 219-000003	5.5kW	XSDP5.5/ST	400V 50Hz, 440V 60Hz	•
Ref 219-000005	7.5kW	XSDP7.5/ST	230V 50Hz, 240v 60Hz	•
Ref 219-000006	7.5kW	XSDP7.5/ST	400V 50Hz, 440V 60Hz	•
Ref 219-000008	11kW	XSDP11/ST	230V 50Hz, 240v 60Hz	•
Ref 219-000009	11kW	XSDP11/ST	400V 50Hz, 440V 60Hz	•
Ref 219-000011	15kW	XSDP15/ST	230V 50Hz, 240v 60Hz	•
Ref 219-000012	15kW	XSDP15/ST	400V 50Hz, 440V 60Hz	•
Ref 219-000015	22kW	XSDP22/ST	230V 50Hz, 240v 60Hz	•
Ref 219-000016	22kW	XSDP22/ST	400V 50Hz, 440V 60Hz	•
Ref 219-000017	30kW	XSDP30/ST	230V 50Hz, 240v 60Hz	•
Ref 219-000018	30kW	XSDP30/ST	400V 50Hz, 440V 60Hz	•
Ref 219-000019	37kW	XSDP37/ST	230V 50Hz, 240v 60Hz	•
Ref 219-000020	37kW	XSDP37/ST	400V 50Hz, 440V 60Hz	•
Ref 219-000021	45kW	XSDP45/ST	230V 50Hz, 240v 60Hz	•
Ref 219-000022	45kW	XSDP45/ST	400V 50Hz, 440V 60Hz	•
Ref 219-000023	55kW	XSDP55/ST	230V 50Hz, 240v 60Hz	•
Ref 219-000024	55kW	XSDP55/ST	400V 50Hz, 440V 60Hz	•
Ref 219-000025	75kW	XSDP75/ST	230V 50Hz, 240v 60Hz	•
Ref 219-000026	75kW	XSDP75/ST	400V 50Hz, 440V 60Hz	•
Ref 219-000027	90kW	XSDP90/ST	230V 50Hz, 240v 60Hz	•
Ref 219-000028	90kW	XSDP90/ST	400V 50Hz, 440V 60Hz	•

Starters · Stainless Steel · DOL · Without Isolator

EMS Reference	Power Rating	Moeller Reference	Voltage Rating	Available Online
Ref 214-000002	4kW	XD4/SS	230V 50HZ, 240V 60HZ	
Ref 214-000003	4kW	XD4/SS	400V 50Hz, 440V 60Hz	
Ref 214-000005	5.5kW	XD5.5/SS	230V 50HZ, 240V 60HZ	
Ref 214-000006	5.5kW	XD5.5/SS	400V 50Hz, 440V 60Hz	
Ref 214-000008	7.5kW	XD7.5/SS	230V 50HZ, 240V 60HZ	
Ref 214-000009	7.5kW	XD7.5/SS	400V 50Hz, 440V 60Hz	
Ref 214-000010	11kW	XD11/SS	230V 50HZ, 240V 60HZ	
Ref 214-000011	11kW	XD11/SS	400V 50Hz, 440V 60Hz	

Starters · Stainless Steel · DOL · With Isolator

EMS Reference	Power Rating	Moeller Reference	Voltage Rating	Available Online
Ref 215-000002	4kW	XDP4/SS	230V 50HZ, 240V 60HZ	
Ref 215-000003	4kW	XDP4/SS	400V 50Hz, 440V 60Hz	
Ref 215-000005	5.5kW	XDP5.5/SS	230V 50HZ, 240V 60HZ	
Ref 215-000006	5.5kW	XDP5.5/SS	400V 50Hz, 440V 60Hz	
Ref 215-000008	7.5kW	XDP7.5/SS	230V 50HZ, 240V 60HZ	
Ref 215-000009	7.5kW	XDP7.5/SS	400V 50Hz, 440V 60Hz	
Ref 215-000010	11kW	XDP11/SS	230V 50HZ, 240V 60HZ	
Ref 215-000011	11kW	XDP11/SS	400V 50Hz, 440V 60Hz	

Starters · Stainless Steel · DOL · Reversing · Without Isolator

EMS Reference	Power Rating	Moeller Reference	Voltage Rating	Available Online
Ref 227-000001	4kW	XDR4/SS	230V 50HZ, 240V 60HZ	
Ref 227-000002	4kW	XDR4/SS	400V 50Hz, 440V 60Hz	
Ref 227-000003	5.5kW	XDR5.5/SS	230V 50HZ, 240V 60HZ	
Ref 227-000004	5.5kW	XDR5.5/SS	400V 50Hz, 440V 60Hz	

Starters · Stainless Steel · DOL · Reversing · With Isolator

EMS Reference	Power Rating	Moeller Reference	Voltage Rating	Available Online
Ref 220-000002	4kW	XDRP4/SS	230V 50HZ, 240V 60HZ	
Ref 220-000003	4kW	XDRP4/SS	400V 50Hz, 440V 60Hz	
Ref 220-000005	5.5kW	XDRP5.5/SS	230V 50HZ, 240V 60HZ	
Ref 220-000006	5.5kW	XDRP5.5/SS	400V 50Hz, 440V 60Hz	

Starters · Stainless Steel · Star-Delta · Without Isolator

EMS Reference	Power Rating	Moeller Reference	Voltage Rating	Available Online
Ref 224-000009	5.5kW	XSD5.5/SS	230V 50Hz, 240V 60Hz	
Ref 224-000010	5.5kW	XSD5.5/SS	400V 50Hz, 440V 60Hz	
Ref 224-000011	7.5kW	XSD7.5/SS	230V 50Hz, 240V 60Hz	
Ref 224-000012	7.5kW	XSD7.5/SS	400V 50Hz, 440V 60Hz	
Ref 224-000001	11kW	XSD11/SS	230V 50Hz, 240V 60Hz	
Ref 224-000002	11kW	XSD11/SS	400V 50Hz, 440V 60Hz	
Ref 224-000003	15kW	XSD15/SS	230V 50Hz, 240V 60Hz	
Ref 224-000004	15kW	XSD15/SS	400V 50Hz, 440V 60Hz	

Starters · Stainless Steel · Star-Delta · With Isolator

EMS Reference	Power Rating	Moeller Reference	Voltage Rating	Available Online
Ref 221-000002	5.5kW	XSDP5.5/SS	230V 50Hz, 240V 60Hz	
Ref 221-000003	5.5kW	XSDP5.5/SS	400V 50Hz, 440V 60Hz	
Ref 221-000005	7.5kW	XSDP7.5/SS	230V 50Hz, 240V 60Hz	
Ref 221-000006	7.5kW	XSDP7.5/SS	400V 50Hz, 440V 60Hz	
Ref 221-000008	11kW	XSDP11/SS	230V 50Hz, 240V 60Hz	
Ref 221-000009	11kW	XSDP11/SS	400V 50Hz, 440V 60Hz	
Ref 221-000011	15kW	XSDP15/SS	230V 50Hz, 240V 60Hz	
Ref 221-000012	15kW	XSDP15/SS	400V 50Hz, 440V 60Hz	

Starters · Open Chassis · Star-Delta · Without Isolator

EMS Reference	Power Rating	Moeller Reference	Voltage Rating	Available Online
Ref 205-001014	5.5kW	SDAINLM12-UK	230V 50Hz, 240V 60Hz	•
Ref 205-001015	5.5kW	SDAINLM12-UK	400V 50Hz, 440V 60Hz	•
Ref 205-001002	7.5kW	SDAINLM16-UK	230V 50Hz, 240V 60Hz	•
Ref 205-001003	7.5kW	SDAINLM16-UK	400V 50Hz, 440V 60Hz	•
Ref 205-001016	11kW	SDAINLM22-UK	230V 50Hz, 240V 60Hz	•
Ref 205-001017	11kW	SDAINLM22-UK	400V 50Hz, 440V 60Hz	•
Ref 205-001005	15kW	SDAINLM30-UK	230V 50Hz, 240V 60Hz	•
Ref 205-001006	15kW	SDAINLM30-UK	400V 50Hz, 440V 60Hz	•
Ref 205-001008	22kW	SDAINLM45-UK	230V 50Hz, 240V 60Hz	•
Ref 205-001009	22kW	SDAINLM45-UK	400V 50Hz, 440V 60Hz	•
Ref 205-001011	30kW	SDAINLM55-UK	230V 50Hz, 240V 60Hz	•
Ref 205-001012	30kW	SDAINLM55-UK	400V 50Hz, 440V 60Hz	•
Ref 205-001018	37kW	SDAINLM70-UK	230V 50Hz, 240V 60Hz	•
Ref 205-001019	37kW	SDAINLM70-UK	400V 50Hz, 440V 60Hz	•
Ref 205-001020	45kW	SDAINLM90-UK	230V 50Hz, 240V 60Hz	•
Ref 205-001021	45kW	SDAINLM90-UK	400V 50Hz, 440V 60Hz	•
Ref 205-001022	55kW	SDAINLM115-UK	230V 50Hz, 240V 60Hz	•
Ref 205-001023	55kW	SDAINLM115-UK	400V 50Hz, 440V 60Hz	•
Ref 205-001024	75kW	SDAINLM140-UK	230V 50Hz, 240V 60Hz	•
Ref 205-001025	75kW	SDAINLM140-UK	400V 50Hz, 440V 60Hz	•
Ref 205-001026	90kW	SDAINLM165-UK	230V 50Hz, 240V 60Hz	•
Ref 205-001027	90kW	SDAINLM165-UK	400V 50Hz, 440V 60Hz	•
Ref 205-001028	110kW	SDAINLM200-UK	230V 50Hz, 240V 60Hz	•
Ref 205-001029	110kW	SDAINLM200-UK	400V 50Hz, 440V 60Hz	•
Ref 205-001030	132kW	SDAINLM260-UK	230V 50Hz, 240V 60Hz	•
Ref 205-001031	132kW	SDAINLM260-UK	400V 50Hz, 440V 60Hz	•

Overload · ZB Range

EMS Reference	Moeller Ref	Current Range Setting	Available Online
Ref 004-220000	ZB12-0.16	0.10 – 0.16 Amps	•
Ref 004-220001	ZB12-0.24	0.10 – 0.24 Amps	•
Ref 004-220002	ZB12-0.4	0.24 – 0.4 Amps	•
Ref 004-220003	ZB12-0.6	0.4 – 0.6 Amps	•
Ref 004-220004	ZB12-1.0	0.6 – 1.0 Amps	•
Ref 004-220005	ZB12-1.6	1.0 – 1.6 Amps	•
Ref 004-220006	ZB12-2.4	1.6 – 2.4 Amps	•
Ref 004-220007	ZB12-4.0	2.4 – 4.0 Amps	•
Ref 004-220008	ZB12-6.0	4.0 – 6.0 Amps	•
Ref 004-220009	ZB12-10.0	6.0 – 10.0 Amps	•
Ref 004-220010	ZB12-12.0	9.0 – 12.0 Amps	•
Ref 004-220024	ZB12-16	10.0 – 16.0 Amps	•
Ref 004-220011	ZB32-0.16	0.10 – 0.16 Amps	•
Ref 004-220012	ZB32-0.24	0.16 – 0.24 Amps	•
Ref 004-220013	ZB32-0.4	0.24 – 0.40 Amps	•
Ref 004-220014	ZB32-0.6	0.4 – 0.6 Amps	•
Ref 004-220015	ZB32-1.0	0.6 – 1.0 Amps	•
Ref 004-220016	ZB32-1.6	1.0 – 1.6 Amps	•
Ref 004-220017	ZB32-2.4	1.6 – 2.4 Amps	•
Ref 004-220018	ZB32-4.0	2.4 – 4.0 Amps	•
Ref 004-220019	ZB32-6.0	4.0 – 6.0 Amps	•
Ref 004-220020	ZB32-10	6.0 – 10.0 Amps	•
Ref 004-220021	ZB32-16	10.0 – 16.0 Amps	•
Ref 004-220022	ZB32-24	16.0 – 24.0 Amps	•
Ref 004-220023	ZB32-32	24.0 – 32.0 Amps	•
Ref 004-220025	ZB65-10	6.0 – 10.0 Amps	•
Ref 004-220026	ZB65-16	10.0 – 16.0 Amps	•
Ref 004-220027	ZB65-24	16.0 – 24.0 Amps	•
Ref 004-220028	ZB65-40	24.0 – 40.0 Amps	•
Ref 004-220029	ZB65-57	40.0 – 57.0 Amps	•
Ref 004-220030	ZB65-65	57.0 – 65.0 Amps	•

Overload · ZE Range

EMS Reference	Moeller Ref	Current Range Setting	Available Online
Ref 004-000177	ZE-0.16	0.1 – 0.16 Amps	•
Ref 004-000178	ZE-0.24	0.16 – 0.24 Amps	•
Ref 004-000179	ZE-0.4	0.24 – 0.4 Amps	•
Ref 004-000180	ZE-0.6	0.4 – 0.6 Amps	•
Ref 004-000181	ZE-1	0.6 – 1.0 Amps	•
Ref 004-000145	ZE-1.6	1.0 – 1.6 Amps	•
Ref 004-000182	ZE-2.4	1.6 – 2.4 Amps	•
Ref 004-000146	ZE-4	2.4 – 4.0 Amps	•
Ref 004-000183	ZE-6	4.0 – 6.0 Amps	•
Ref 004-000147	ZE-9	6.0 – 9.0 Amps	•

Isolator · Insulated · 1 Pole

EMS Reference	Current Rating	Moeller Reference	Voltage Rating	Available Online
Ref 250-000001	20A	T0-1-8200/I1H/SVB	380-440V	•
Ref 250-000002	32A	T3-1-8200/I2H/SVB	380-440V	•
Ref 250-000003	63A	T5B-1-8200/I4/SVB	380-440V	•
Ref 250-000004	100A	T5-1-8200/I5/SVB	380-440V	•

Isolator · Insulated · 2 Pole

EMS Reference	Current Rating	Moeller Reference	Voltage Rating	Available Online
Ref 250-000005	20A	T0-1-102/I1H/SVB	380-440V	•
Ref 250-000006	32A	T3-1-102/I2H/SVB	380-440V	•
Ref 250-000007	63A	T5B-1-102/I4/SVB	380-440V	•
Ref 250-000008	100A	T5-1-102/I5/SVB	380-440V	•

Isolator · Insulated · 3 Pole

EMS Reference	Current Rating	Moeller Reference	Voltage Rating	Available Online
Ref 250-000009	20A	T0-2-1/I1H/SVB	380-440V	•
Ref 250-000010	25A	P1-25/I2H/SVB	380-440V	•
Ref 250-000011	32A	P1-32/I2H/SVB	380-440V	•
Ref 250-000012	63A	P3-63/I4/SVB	380-440V	•
Ref 250-000013	100A	P3 -100/I5/SVB	380-440V	•

Isolator · Insulated · 6 Pole + 1NO & 1NC Auxiliary Contacts

EMS Reference	Current Rating	Moeller Reference	Voltage Rating	Available Online
Ref 250-000022	20A	T0-4-15682/I1H/SVB	380-440V	•
Ref 250-000023	32A	T3-4-15682/I2H/SVB	380-440V	•
Ref 250-000024	63A	T5B-4-15682/I4/SVB	380-440V	•
Ref 250-000025	100A	T5-4-15682/I5/SVB	380-440V	•

Isolator · Steel · 3 Pole

EMS Reference	Current Rating	Moeller Reference	Voltage Rating	Available Online
Ref 260-000001	20A	T0-2-1/ST/SVB	380-440V	•
Ref 260-000002	25A	P1-25/ST/SVB	380-440V	•
Ref 260-000003	32A	P1-32/ST/SVB	380-440V	•
Ref 260-000004	63A	P3-63/ST/SVB	380-440V	•
Ref 260-000005	100A	P3 -100/ST/SVB	380-440V	•

Isolator · Steel · 6 Pole + 1NO & 1NC Auxiliary Contacts

EMS Reference	Current Rating	Moeller Reference	Voltage Rating	Available Online
Ref 260-000006	20A	T0-4-15682/ST/SVB	380-440V	•
Ref 260-000007	32A	T3-4-15682/ST/SVB	380-440V	•
Ref 260-000008	63A	T5B-4-15164/ST/SVB	380-440V	•
Ref 260-000009	100A	T5-4-15164/ST/SVB	380-440V	•

Isolator · Stainless Steel · 3 Pole

EMS Reference	Current Rating	Moeller Reference	Voltage Rating	Available Online
Ref 255-000001	20A	T0-2-1/SS1/SVB	380-440V	•
Ref 255-000002	25A	P1-25/SS1/SVB	380-440V	•
Ref 255-000003	32A	P1-32/SS1/SVB	380-440V	•
Ref 255-000004	63A	P3-63/SS2/SVB	380-440V	•
Ref 255-000005	100A	P3 -100/SS2/SVB	380-440V	•

Isolator · Stainless Steel · 6 Pole + 1NO & 1NC Auxiliary Contacts

EMS Reference	Current Rating	Moeller Reference	Voltage Rating	Available Online
Ref 255-000007	20A	T0-4-15682/SS1/SVB	380-440V	•
Ref 255-000006	32A	T3-4-15682/SS3/SVB	380-440V	•
Ref 255-000008	63A	T5B-4-15164/SS3/SVB	380-440V	•
Ref 255-000009	100A	T5-4-15164/SS3/SVB	380-440V	•

Enclosed Switch Fuse · Steel · (EMS)

EMS Reference	Current Rating	Part Number	Voltage Rating	Available Online
Ref 270-000001	32A	KVKE-PN32/ST/BS/IP55	415V	
Ref 270-000002	63A	KVKE-PN63/ST/BS/IP55	415V	
Ref 270-000003	100A	KVKE-PN100/ST/BS/IP55	415V	
Ref 270-000004	125A	KVKE-PN125/ST/BS/IP55	415V	
Ref 270-000005	160A	KVKE-PN160/ST/BS/IP55	415V	
Ref 270-000006	200A	KVKE-PN200/ST/BS/IP55	415V	
Ref 270-000007	250A	KVKE-PN250/ST/BS/IP55	415V	
Ref 270-000008	315A	KVKE-PN315/ST/BS/IP55	415V	
Ref 270-000009	400A	KVKE-PN400/ST/BS/IP55	415V	
Ref 270-000010	630A	KVKE-PN630/ST/BS/IP55	415V	

Enclosed Switch Fuse · Steel · (Moeller)

EMS Reference	Current Rating	Part Number	Voltage Rating	Available Online
Ref 270-000011	20A	ENC SWF/20TPN	415V	
Ref 270-000012	32A	ENC SWF/32TPN	415V	
Ref 270-000013	63A	ENC SWF/63TPN	415V	
Ref 270-000014	100A	ENC SWF/100TPN	415V	
Ref 270-000015	160A	ENC SWF/160TPN	415V	
Ref 270-000016	200A	ENC SWF/200TPN	415V	
Ref 270-000017	250A	ENC SWF/250TPN	415V	
Ref 270-000018	400A	ENC SWF/400TPN	415V	
Ref 270-000019	630A	ENC SWF/630TPN	415V	
Ref 270-000020	800A	ENC SWF/800TPN	415V	

Enclosed MCCBs

EMS Reference	Current Rating	Part Number	Voltage Rating	Available Online
Ref 280-000001	100A	ENCCB/100/3	415V	
Ref 280-000002	160A	ENCCB/160/3	415V	
Ref 280-000003	200A	ENCCB/200/3	415V	
Ref 280-000004	250A	ENCCB/250/3	415V	
Ref 280-000005	400A	ENCCB/400/3	415V	
Ref 280-000006	630A	ENCCB/630/3	415V	
Ref 280-000007	800A	ENCCB/800/3	415V	